

SEQUENCE LISTING

<110> KANEKA CORPORATION

<120> TRANSGENIC BIRD AND METHOD OF CONSTRUCTING THE SAME

<130> Q95455

<140> US 10/585,693

<141> 2006-07-10

<150> PCT/JP2004/016438

<151> 2004-11-05

<150> JP 2004-003045

<151> 2004-01-08

<160> 18

<170> PatentIn version 3.3

<210> 1

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Designed sequence of a 5'-primer incorporating the Sal I recognition site at the 5' terminal used for PCR amplification of the chicken b-actin promoter fragment lacking the intron

<400> 1
acgcgtcgac gtgcatgcac gtcattg 28

<210> 2

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Designed sequence of a 3'-primer incorporating the Sal I recognition site at the 5' terminal used for PCR amplification of the chicken b-actin promoter fragment lacking the intron

<400> 2
acgcgtcgac aacgcagcga ctcccg 26

<210> 3

<211> 61

<212> DNA

<213> Artificial Sequence

<220>

<223> Designed oligonucleotide acting as a sense chain in annealing to construct the coding fragment of the chicken lysozyme secretion signal

<400> 3
ctagaccatg aggtctttgc taatcttggg getttgcttc ctgcccttg ctgctctggg 60

<210> 4
<211> 57
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed oligonucleotide acting as an anti-sense chain in annealing to construct the coding fragment of the chicken lysozyme secretion signal

<400> 4
ccccagagca gccaggggca ggaagcaaag caccaagatt agcaaagacc tcattggt 57

<210> 5
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 5'-primer incorporating the Dra I recognition site at the 5' terminal used for PCR amplification of the scFv coding fragment

<400> 5
gcgtttaaag tgacgttga cgtccg 26

<210> 6
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 3'-primer incorporating the BamH I recognition site at the 5' terminal used for PCR amplification of the scFv coding fragment

<400> 6
attaggatcc gcgcttaagg acggtcagg 29

<210> 7
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 5'-primer used for PCR amplification of the coding fragment of the human antibody heavy chain fA1 constant region

<400> 7
caagcttcaa gggcccat 18

<210> 8
<211> 19
<212> DNA
<213> Artificial Sequence

<220>

<223> Designed sequence of a 3'-primer used for PCR amplification of the coding fragment of the human antibody heavy chain fA1 constant region

<400> 8
attatcccg agacagggga 19

<210> 9
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 5'-primer incorporating the BamHI recognition site at the 5' terminal used for PCR amplification of the coding fragment of the human antibody heavy chain fA1 Fc region

<400> 9
attagatcc gagcccaaat ctgtgacaa aactc 35

<210> 10
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 3'-primer incorporating the Hind III recognition site at the 5' terminal used for PCR amplification of the coding fragment of the human antibody heavy chain fA1 Fc region

<400> 10
agcaagcttt cattatcccg gagacagggga 30

<210> 11
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 5'-primer used for PCR amplification of a 393bp fragment in the gene of scFv

<400> 11
gtcttattag cgggtctggt agtagcaca 30

<210> 12
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 3'-primer used for PCR amplification of a 393bp fragment in the gene of scFv

<400> 12
gagacttctg ctggtaccag ccata 25

<210> 13

```

<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 5'-primer used for PCR amplification of a
311bp fragment in the gene of GFP

<400> 13
agctcaccct gaaattcatc tgcaccactg
30

<210> 14
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 3'-primer used for PCR amplification of a
311 bp fragment in the gene of GFP

<400> 14
gttgattccc agcttgtagc cgagaatgtt
30

<210> 15
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 5'-primer used for PCR amplification of a
355bp fragment in the gene of GFP

<400> 15
caacactggg cactaccttc acctatg
27

<210> 16
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 3'-primer used for PCR amplification of a
355bp fragment in the gene of GFP

<400> 16
acggatccat cctcaatgtt gtgtc
25

<210> 17
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 5'-primer used for PCR amplification of a
317bp fragment in the gene of ovalbumin

<400> 17
cgctttgata aacttcagg attcgg
26

<210> 18

```

<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a 3'-primer used for PCR amplification of a
317bp fragment in the gene of ovalbumin

<400> 18
catctagctg tcttgcttaa gcgtaca

27